



EMC0518A45SE

Low Noise preamplifier

- Brand : EMCI
- Frequency Range : 500MHz-18GHz
- Gain (dB min) : 45dB min
- Flatness (+/- dB max) : 2.5 dB max
- Noise Figure (dB max) : 3dB max
- P-1dB (dBm min) : 15 dBm min
- VSWR(In/Output) : 2.5:1/2.5:1
- Connectors : SMA (Female)
- Size : 145mm*75mm*66mm(158mm)
217mm*330mm*100mm(100mm)
- Net Weight : 628g(870g)/3000g
- **Built AC input main power grounding detect circuit**



EMC Instruments corporation

Sales Partner:




ABSOLUTE EMC LLC.
Covering sales in North America
United States, Mexico, & Canada

absolute-emc.com
Phone:703-774-7505
info@absolute-emc.com



Specification



Frequency Range	500MHz-18GHz
Gain (dB min)	45 dB
Flatness (+/- dB max)	2.5 dB
Noise Figure (dB max)	3 dB
P-1dB (dBm min)	15 dBm
VSWR(In/Output)	2.5:1/2.5:1
Connectors	SMA (Female)
Size	145mm*75mm*66mm(158mm) 217mm*330mm*100mm
Net Weight	628g(870g)/3000g
Built AC input main power grounding detect circuit	<p>WARNING: FOR CONTINUED PROTECTION AGAINST FIRE HAZARD REPLACE</p> <p>R Y Y OPEN GROUND ○ ● ○ OPEN NEUTRAL ○ ○ ● OPEN LINE ○ ○ ○ LINE/GRD. ● ○ ● REVERSE LINE/NEU. ● ○ ● REVERSE CORRECT ○ ● ● CONTACT SERVICE ● ● ●</p>

Sales Partner:






ABSOLUTE EMC LLC.
Covering sales in North America
United States, Mexico, & Canada

absolute-emc.com
Phone:703-774-7505
info@absolute-emc.com



Ordering information:

EMC0518A45SE-001/002/003



Sales Partner:



ABSOLUTE EMC LLC.
Covering sales in North America
United States, Mexico, & Canada

absolute-emc.com
Phone: 703-774-7505
info@absolute-emc.com

1F, No.8, Lane38, Wensan 3rd street, Kwei Shan Dist,
Taoyuan City, Taiwan
TEL : +886-3-3286-998 FAX :+886-3-3288-376
Mobile:0937-214-592
E-mail:sales@emci.com.tw

Website:www.emci.com.tw