

# DATA **CG 10/500** Sheet **CG 10/500L**

# Comb Generator

• Frequency Range: 10kHz-30MHz

• Frequency Step: 10kHz/500kHz switchable



Sales Partner:



ABSOLUTE EMC LIC.

Covering sales in North America United States, Mexico, & Canada

absolute-emc.com Phone:703-774-7505 info@absolute-emc.com



### CG 10/500 & 10/500L

### **Features**

• Frequency Range: 10kHz-30MHz

• Frequency Step: 10kHz/500kHz switchable

# Description

The CG10/500 Conducted Comb Generators are reference signal sources for testing Line Impedance Stabilization Networks (LISN).

CG10/500 output has the harmonics of the fundamental frequency specified by the step size. Has two switchable frequency step sizes the 10 kHz and 500kHz frequency steps.

This allows checks and investigations on conducted measurement systems to be made, for example using a LISN or RJ11,RJ45 standard connectors for conducted measurements using an ISN.

When fully charged, the battery allows continuous operation of up to 16 hours. The Conducted Comb Generator is included with a battery charger, USB cable, and accessories that are shipped in a wooden storage box.



Sales Partner:



# **Application**

The main application of Conducted Comb Generator is to quickly verify conducted emissions test setups. And the most important application is troubleshooting conducted measurements using an ISN.

With the Conducted Comb Generator, the test engineer will be able to perform quick a verification of the conducted test setup more frequently to assure accurate test results.

Other possible applications of the CG 10 / 500 Conducted Comb Generator could include, production evaluation of components , such as cable shields and filters.









absolute-emc.com Phone:703-774-7505 info@absolute-emc.com

www.emci.com.tw




## CG 10/500 & 10/500L

# **Specification**

ISN OF RJ45 (RBW=10kHz VBW=30kHz)

Frequency Range	10kHz-30MHz
Frequency Step	10kHz/500kHz switchable
Charging Time	16 Hours
Re-Charge Time	5 Hours
Size	120mm(W)*82mm(D)*85mm(H)
Net Weight	1.1Kg

# **Application**



Sales Partner:




ABSOLUTE *EMC* Llc. Covering sales in North America United States, Mexico, & Canada absolute-emc.com Phone:703-774-7505 info@absolute-emc.com





## Comb Generator


## CG 10/500 & 10/500L

### LISN Frequency Range 9k-150kHz (RBW=200Hz VBW=300Hz)









Sales Partner:









# 承儀電子股份有限公司 notitistice of some statement and a som

### CG 10/500 & 10/500L

### LISN Frequency Range 150k-30MHz (RBW=10kHz VBW=30kHz)





Sales Partner:







# Comb Generator

# CG 10/500 & 10/500L

### ISN (RJ11) Frequency Range 150k-500kHz (RBW=10kHz VBW=30kHz)



### ISN (RJ11) Frequency Range 500k-30MHz (RBW=10kHz VBW=30kHz)



Sales Partner:




ABSOLUTE *EMC* Llc. Covering sales in North America United States, Mexico, & Canada absolute-emc.com Phone:703-774-7505 info@absolute-emc.com


### Comb Generator

### CG 10/500 & 10/500L

#### ISN (RJ45) Frequency Range 150k-500kHz (RBW=10kHz VBW=30kHz)



### ISN (RJ45) Frequency Range 500k-30MHz (RBW=10kHz VBW=30kHz)





TEL: +886-3-3286-998 FAX: +886-3-3288-376 Mobile: 0937-214-592

E-mail: steven@emci.com.tw 桃園市龜山區文三三街38巷8號1樓

1F, No.8, Lane38, Wensan 3rd street, Kwei Shan Dist, Taoyuan City, Taiwan www.emci.com.tw