



承儀電子股份有限公司
EMC Instruments corporation

DATA SHEET

EMC012645SE-01/-02

Low Noise preamplifier

- Frequency Range : 100MHz-26.5GHz
- Noise Figure : 4.5 dB max
- Nominal Gain (dB min) : 45 dB min
- Gain Flatness : ± 4 dB max
- P-1dB Compression Point : 10 dBm min
- Input VSWR : 2.5:1 max
- Output VSWR : 2.5:1 max
- Input Damage Level : 0 dBm + 10 Vdc
- Operation Temperature : -20 to +70°C
- Power Requirements : 110 Vac/230 Vac
- In/Out Connectors : 50 ohm \cdot 2.92mm Female
- Size : 145mm*75mm*66mm(158mm)/217mm*330mm*100mm
- Net Weight : 628g (870g) / 3000g
- **Built AC input main power grounding detect circuit**



Sales Partner:




ABSOLUTE EMC Lic.
Covering sales in North America
United States, Mexico, & Canada

absolute-emc.com
Phone: 703-774-7505
info@absolute-emc.com

www.emci.com.tw



Specification



Power Supply



Length:6M



Frequency Range	100MHz-26.5GHz
Noise Figure	4.5 dB max
Nominal Gain (dB min)	45 min
Gain Flatness	4 dB max
P-1dB Compression Point	10 dBm min
Input VSWR	2.5:1 max
Output VSWR	2.5:1 max
Input Damage Level	0 dBm+ 10 Vdc
Operation Temperature	-20 to +70°C
Power Requirements	110 Vac/230 Vac
In/Out Connectors	50 ohm , 2.92 Female
Size	145mm*75mm*66mm (158mm) 217mm*330mm*100mm
Net Weight	628g (870g) / 3000g
<p>Built AC input main power grounding detect circuit</p>	

Sales Partner:



ABSOLUTE EMC LLC.
Covering sales in North America
United States, Mexico, & Canada

absolute-emc.com
Phone:703-774-7505
info@absolute-emc.com



承儀電子股份有限公司
EMC Instruments corporation

Low Noise preamplifier
EMC012645SE-01/-02

Order Information

EMC012645SE-01	EMC012645SE-02

Sales Partner:



ABSOLUTE EMC Lic.
Covering sales in North America
United States, Mexico, & Canada

absolute-emc.com
Phone:703-774-7505
info@absolute-emc.com



承儀電子股份有限公司
EMC Instruments corporation

TEL : +886-3-3286-998

FAX : +886-3-3288-376

Mobile : 0937-214-592

E-mail : steven@emci.com.tw

桃園市龜山區文三三街38巷8號1樓

1F, No.8, Lane38,Wensan 3rd street, Kwei Shan Dist, Taoyuan City, Taiwan

www.emci.com.tw