




MAG 1000

POWER FREQUENCY MAGNETIC FIELD TEST EQUIPMENT







FEATURES

- Up to 1100A/m field strength
- Sturdy construction
- Internal power supply
- Built to fulfill the standards
- Simple user interface
- Short duration and continuous duration testing \rightarrow possible

SUMMARY

Power frequency magnetic fields are generated by AC current flowing in conductors, for example in the power cord used to plug devices to mains. The MAG 1000 is used to reproduce these magnetic fields and see if they may interfere with equipment operated in close proximity.

The MAG 1000 is composed of 2 units, a power supply and a coil to generate the magnetic field strength. Values of the magnetic field are introduced by using the LCD display and buttons located in the front of the power supply. The magnetic field is generated at the center of the coil with a maximum variation of 3dB. The coil dimensions allows to allocate large test objects.

The coil can be used for both vertical and horizontal plane testing, by simply rotating the coil antenna.

Both short duration and continuous mode testing are possible. Device is fully compliant with IEC 61000-4-8.

APPLICATIONS

Full-compliance and pre-compliance testing to a wide variety of standards:

- IEC 61000-4-8*
- EN 61000-6-1
- EN 61000-6-2
- and others

*Up to test level 5 for continuous and short duration



ABSOLUTE *EMC* Llc. Covering sales in North America United States, Mexico, & Canada absolute-emc.com Phone:703-774-7505 info@absolute-emc.com

ADVANTAGES

 \rightarrow


 \rightarrow

- Large magnetic fields strength can be reached with a compact and mobile system.
- Tests done using the MAG 1000 fulfills the international standards
- Easy to use even even by non trained operators
- Same device for different tests setups and durations



OVERVIEW

Mobile antenna Easy to rotate and lift



Easy to setup

•

V





STANDARD PACKAGE

MAG 1000

MAG 1000 Power frequency magnetic field test equipment

Included accessories

- MAG 1000 generator
- MAG 1000 Stand and antenna
- Manual & calibration certificate





MAG 1000 SPECIFICATIONS

Continuous Field Strength	1 - 120 A/m
Continuous Test Time	1min – 8hr
Short Duration Field Strength	100 - 1100A/m
Short Duration Test Time	1s - 3s
Selectable Frequency	50Hz & 60Hz
Maximum EUT Size	0.6m x 0.6m x 0.5m
Generator Dimensions	550mm x 450mm x 143mm
Input Connection	10A IEC
Stand & Antenna Weight	46kg
Battery life	> 16 hrs
Power consumption	17 VA
Generator Weight	1.7 kg

OPTIONS AND ACCESSORIES

General accessories

Stand

Support for MSURGE coil

ADDED SERVICES



- Pre- & After Sales Support
- Application Support
- Commissioning
- Warranty Extension
- Calibration (accredited & factory)
- Training and Seminars



ABSOLUTE *EMC* Llc. Covering sales in North America United States, Mexico, & Canada absolute-emc.com Phone:703-774-7505 info@absolute-emc.com

ute-emc.com 03-774-7505

No. 2499985

No. 2490031



Global Presence

EUROPE HAEFELY AG Birsstrasse 300 4052 Basel Switzerland

☎ +41 61 373 4111
☑ sales@haefely.com

www.haefely.com

Sales Partner:

CHINA HAEFELY AG Representative Office 8-1-602, Fortune Street, No. 67, Chaoyang Road, Beijing 100025 China

+86 10 8578 8099

- ⊠ sales@haefely.com.cn
- www.haefely.com

INDIA

HAEFELY India Service Office C/o Pfiffner Instrument Transformers Pvt. Ltd. 176, 178/2 Sarul, Viholi Nashik 422 010, India.

- 🕾 +1 800 266 4052 (toll free)
- \boxtimes sales@haefely.com
- 🗏 www.haefely.com

BSOLUTE EMC

ABSOLUTE *EMC* Llc. Covering sales in North America United States, Mexico, & Canada absolute-emc.com Phone:703-774-7505 info@absolute-emc.com

This document has been drawn up with the utmost care. We cannot, however, guarantee that it is entirely complete, correct or up-to-date. Subject to change without notice.

V2304



Current and voltage - our passion

HV HIGH VOLTAGE

