

## Turn Device TD 1.5-10kg

### Technical data:

Height of rotation axis	1.5 m (above floor level)
Total height	1.6 m
Load capability	10 kg
Base (L x W)	0.6 m x 0.5 m
Material above drive unit	Plastics (mainly PVC and GRP)
Rotating angle	360°
Positioning accuracy	+/-0.5°
Rotating speed	1°/s – 15°/s
Motor	DC stepper motor
Support drive	Toothed belt
Material of toothed belts	Kevlar reinforced (non-metallic)
Voltage	110 VAC – 230 VAC, 50 Hz / 60 Hz single phase
Current consumption	max. 16 A
Required RCD	300 mA
Control cable	Fiber optic lines
Remote control via	LAN (TCP/IP); (IEEE only with NCD)
Interference suppression	20 dB under limits DIN EN 55011/A11:2021-03 class B
Operating temperature	10° C – 35 ° C
Total weight	approx. 40 kg
Accessories	Service manual 3 m power supply cable

Sales Partner:



**ABSOLUTE EMC** Lic.  
Covering sales in North America  
United States, Mexico, & Canada

absolute-emc.com  
Phone:703-774-7505  
info@absolute-emc.com

### Brief description

The Turn Device **TD 1.5-10 kg** is especially designed for mobile telephone measurements. Different sized mobile telephones can be mounted on the mounting bracket made of Rohacell.


The TD 1.5-10 kg is usually mounted onto a turntable to have both 360° vertical and horizontal rotation for 3D measurements.

Together with the turntable the system performs three-dimensional over-the-air radiation measurements on handheld wireless devices, mainly mobile phones.

The measurement height is fixed – standard is 1.5 m above floor level. Other heights are available upon request.

The Turn Device, with the exception of the drive unit, is fabricated from plastic (Rohacell, PVC and reinforced fibreglass). Metal parts are located only in the base plate and the drive mechanism (max. 0.3 m above ground level).

The **LAN (TCP/IP) - interface** provides an additional control option for all functions, when operated with the FCU<sup>3.0</sup> or NCD Controller.




Sales Partner:



**ABSOLUTE EMC** Lic.  
Covering sales in North America  
United States, Mexico, & Canada

absolute-emc.com  
Phone: 703-774-7505  
info@absolute-emc.com

TD1.5-10kg with mounting plate for laptops or notebook PCs (optional available):



Information presented enclosed is subject to change as product enhancements are made regularly. Pictures included are for illustration purposes only and do not represent all possible configurations.

Sales Partner:



**ABSOLUTE EMC** Lic.  
Covering sales in North America  
United States, Mexico, & Canada

absolute-emc.com  
Phone:703-774-7505  
info@absolute-emc.com

Phone: +49 (0)9606 923913-0  
Fax: +49 (0)9606 923913-29

eMail: info@maturo-gmbh.de  
Web: www.maturo-gmbh.de